



Protection from Advanced Threats and data theft requires real-time inline security, with integrated defenses to analyze inbound and outbound Web and Email requests for malicious activity and data theft activity.

The Forcepoint architecture provides unified visibility and control of web and email security across the entire Kill Chain, even when used with endpoint and Cloud-based defenses.

WHY ARE FORCEPOINT V-SERIES APPLIANCES REVOLUTIONARY?

Forcepoint V Series appliances are based on a pre-configured, security-hardened platform designed to support flexible deployment of our best-in-class Web, Email, Data and Endpoint security solutions. Using virtualization technology, they deliver high-performance, multiple security services on a single platform. They provide complete visibility into inbound and outbound requests, including the growing use of SSL communications. The Forcepoint V-Series appliances utilize the Forcepoint proprietary ACE technology that enables real-time composite defense assessments in high traffic environments.

REAL-TIME CONTEXTUAL DEFENSES

- Real-time inline security from Forcepoint ACE, which unites eight defense assessment areas into a composite scoring model with predictive analysis.
- Fully integrated enterprise DLP helps customers quickly achieve and demonstrate compliance and data security measures.
- Data theft defenses detect slow-drip data leaks, password file data theft, custom encrypted files and text within images using Optical Character Recognition (OCR).
- Integrated behavioral file sandboxing supports additional measures to identify Zero-day and other Advanced Threats.
- Hybrid deployment option can use cloud email pre-filtering to reduce bandwidth abuse and optimize performance, plus email URL sandboxing for real-time phishing protection. Hybrid web security deployments can equally protect remote users with ACE defenses.
- Unified Forcepoint architecture with threat intelligence, console, policies and reporting to help enable a lower TCO.

www.forcepoint.com 1





Forcepoint V5000 Appliance



Forcepoint V10000 Appliance

▶ REDUCE RISK OF ADVANCED MALWARE AND DATA THEFT

- Upgrade secure web gateways with scalable real-time contextual defenses that surpass traditional AV and URLfiltering defenses and avoid the trade-off of performance over security.
- Identify threats in email from the most benign scam to APTs and other Advanced Threats, as well as providing controls for spam and other unwanted email traffic.
- Contain infected systems, b lock command and control communications, and mitigate data theft associated with drip (behavioural) DLP, custom encrypted files, password file theft, analysis of confidential text images with optical character recognition (OCR) and geolocation destination awareness.
- Drill down into reporting forensics by severity, geolocation, group or users with detailed analysis of threat characteristics, command, actions, and evidence of data theft.

PROVEN FORCEPOINT ARCHITECTURE, LEADERSHIP AND TRUST

 Proven Forcepoint architecture that unifies Web, Email, Data and Endpoint security with appliance, cloud, software and hybrid deployments. "More customers buy
Forcepoint over other
vendors because
Forcepoint content
security solutions go
so much further than
simple content filtering."

-Robert Avoub, Global Program Director, Frost & Sullivan

www.forcepoint.com 2



FORCEPOINT SECURITY OFFERING	V5000 APPLIANCE	V10000 APPLIANCE	V20000 APPLIANCE
Web Security ONLY	✓	✓	✓
Email Security ONLY	√	✓	✓
DLP ONLY	✓		
URL Filtering ONLY	✓		

FORCEPOINT V5000 HARDWARE SPECIFICATIONS

PROCESSOR: 1 x Intel Xeon E3-1270

MEMORY: 16GB

HDD: Capacity 1 TB (2 x 1 TB, RAID-1)
NIC: 4 x 10/100/1000 Base-T

POWER SUPPLY: Single 250W (100V~240V)

MISC: iDRAC 8 Enterprise card for light's out mgmt.

Tool-less slide rail kit with cable management arm

DIMENSIONS: 1U form factor,

19.5" D x 17.09" W x 1.68" H (49.7cm D x 43.42cm W x 4.28cm H)

HARDWARE SUPPORT: Globally available 24/7 by phone; Next Business Day or 4

hour Onsite warranty for 36 months; 60 months on-site optional.

REGULATORY & COMPLIANCE: FCC / ICES / EN55022 / VCCIBSMI / C-Tick / SABS / CCC / MIC Class A and UL60950-1 / Verified to comply with RoHS Directive / Energy consumption and noise emissions in accordance with ISO 9299

Ships with latest Forcepoint software and backwards compatible with 7.8.4 and above Forcepoint versions

FORCEPOINT V10000 HARDWARE SPECIFICATIONS

PROCESSOR: 2 x Intel Xeon E5-2620

MEMORY: 32GB

HDD: Capacity 900 GB (4 X 300 GB, RAID-5, Hot Swappable)

NIC: 6 x 10/100/1000 Mb RJ-45 Ethernet Ports
POWER SUPPLY: 2 x 550W Hot Swappable
MISC: iDRAC 8 Enterprise card for light's out mgmt.

DIMENSIONS: 1U form factor,

23.9" D x 17.09" W x 1.68" H (60.7cm D x 43.42cm W x 4.28cm H)

HARDWARE SUPPORT: Globally available 24/7 by phone; Keep your hard drive;

4-hour Onsite warranty for 36 months; 60 months on-site optional.

REGULATORY & COMPLIANCE: FCC / ICES / EN55022 / VCCIBSMI / C-Tick / SABS / CCC / MIC Class A and UL60950-1 /Verified to comply with RoHS Directive / Energy consumption and noise emissions in accordance with ISO 9297

Ships with latest Forcepoint software and backwards compatible with 7.8.1 and above Forcepoint versions

FORCEPOINT V20000 HARDWARE SPECIFICATIONS

PROCESSOR: 2 x Intel Xeon E5-6132

MEMORY: 64GB

HDD: 4 X 1.2 TB, RAID-10, Hot Swappable)
NIC: 6 x 10/100/1000 Mb RJ-45 Ethernet Ports
POWER SUPPLY: 2 x 750W Hot Swappable
MISC: iDRAC 9 Enterprise card for light's out mgmt.

DIMENSIONS: 1U form factor,

23.9" D x 17.09" W x 1.68" H (60.7cm D x 43.42cm W x 4.28cm H)

WEIGHT: 28.26 lbs (12.82 kg)

HARDWARE SUPPORT: Globally available 24/7 by phone; Keep your hard drive;

4-hour Onsite warranty for 36 months; 60 months on-site optional.

REGULATORY & COMPLIANCE: FCC / ICES / EN55022 / VCCIBSMI / C-Tick / SABS / CCC / MIC Class A and UL60950-1 /Verified to comply with RoHS Directive / Energy consumption and noise emissions in accordance with ISO 9296

First supported release 8.5.0

CONTACT

www.forcepoint.com/contact © 20

ABOUT FORCEPOINT

© 2018 Forcepoint. [DATASHEET_FORCEPOINT_V_SERIES_APPLIANCES_EN] 100013.022718

www.forcepoint.com 3